

## Environments

---

## Announcements

## Environments for Higher-Order Functions

## Environments Enable Higher-Order Functions

---

**Functions are first-class:** Functions are values in our programming language


**Higher-order function:** A function that takes a function as an argument value **or**  
A function that returns a function as a return value

*Environment diagrams describe how higher-order functions work!*

(Demo)


## Names can be Bound to Functional Arguments

```
1 def apply_twice(f, x):
2     return f(f(x))
3
4 def square(x):
5     return x * x
6
7 result = apply_twice(square, 2)
```



- Create a new frame
  - Bind formal parameters ( $f$  &  $x$ ) to arguments
  - Execute the body:  
$$\text{return } f(f(x))$$

```
1 def apply_twice(f, x):  
2     return f(f(x))  
3  
4 def square(x):  
5     return x * x  
6  
7 result = apply_twice(square, 2)
```




## Environments for Nested Definitions

(Demo)

# Environment Diagrams for Nested Def Statements

Nested def

```
1 def make_adder(n):
2     def adder(k):
3         return k + n
4     return adder
5
6 add_three = make_adder(3)
7 add_three(4)
```



- Every user-defined function has a parent frame (often global)
  - The parent of a function is the frame in which it was defined
  - Every local frame has a parent frame (often global)
  - The parent of a frame is the parent of the function called

## How to Draw an Environment Diagram

---

**When a function is defined:**

Create a function value: func <name>(<formal parameters>) [parent=<label>]

Its parent is the current frame.

```
.....  
f1: make_adder           func adder(k) [parent=f1]
```

Bind <name> to the function value in the current frame


**When a function is called:**

1. Add a local frame, titled with the <name> of the function being called.
2. Copy the parent of the function to the local frame: [parent=<label>]
3. Bind the <formal parameters> to the arguments in the local frame.
4. Execute the body of the function in the environment that starts with the local frame.

## Local Names

(Demo)

## Local Names are not Visible to Other (Non-Nested) Functions



- An environment is a sequence of frames.
- The environment created by calling a top-level function (no def within def) consists of one local frame, followed by the global frame.

# Lambda Expressions

(Demo)

## Lambda Expressions

```
>>> x = 10
```

An expression: this one evaluates to a number

```
>>> square = x * x
```

Also an expression: evaluates to a function

```
>>> square = lambda x: x * x
```

A function

Important: No "return" keyword!

with formal parameter x

that returns the value of "**x \* x**"

```
>>> square(4)  
16
```

Must be a single expression

Lambda expressions are not common in Python, but important in general

Lambda expressions in Python cannot contain statements at all!

## Lambda Expressions Versus Def Statements





```
square = lambda x: x * x
```

VS

```
def square(x):  
    return x * x
```



- Both create a function with the same domain, range, and behavior.
- Both bind that function to the name `square`.
- Only the `def` statement gives the function an intrinsic name, which shows up in environment diagrams but doesn't affect execution (unless the function is printed).



# Function Composition

(Demo)

# The Environment Diagram for Function Composition

```
1 def square(x):
2     return x * x
3
4 def make_adder(n):
5     def adder(k):
6         return k + n
7     return adder
8
9 def compose1(f, g):
10    def h(x):
11        return f(g(x))
12    return h
13
14 compose1(square, make_adder(2))(3)
```

Return value of make\_adder is  
an argument to compose1

